




Effective data visualisation

Graphical perception

1. Preattentive processing
2. Proximity
3. Position vs angle
4. Colour matters




2 / 43

Preattentive processing



3 / 43


Preattentive processing colour > form (shape)




4 / 43

Proximity Make easy comparisons by grouping elements together

➤ compare time use by categories within each country





➤ compare time use by countries within each category



5 / 43



Position vs angle position > angle



Pie charts are BAD!!

6 / 43

Absolute vs relative positions absolute > relative



7 / 43

Colour matters

1. Colour spaces
2. Colour scales
3. Colour blindness

8 / 43

3 ways to represent colour spaces

1. RGB
2. HSV/HSL
3. HCL for humans

9 / 43

RGB

- Red (0-255): amount of red light
- Green (0-255): amount of green light
- Blue (0-255): amount of blue light




image credit: Claus O. Wilke

10 / 43

HSV

- Hue (0-360): hue of the colour
- Saturation (0-1): colourfulness relative to the brightness of the colour
- Value (0-1): subjective perception of amount of light emitted




image credit: Claus O. Wilke

11 / 43

HSL

- Hue (0-360): hue of the colour
- Lightness (0-1): brightness relative to the brightness of a illuminated white
- Saturation (0-1): colourfulness relative to the brightness of the colour




image credit: Claus O. Wilke

12 / 43

HCL aka polar LUV

- Hue (0-360): hue of the colour
- Chroma (0-180): degree of vividness of a colour
- Luminance (0-100): amount of light emitted





image credit: Claus O. Wilke

13 / 43

Encoding too much



14 / 43

Colour scales

3 fundamental use cases for colours in data visualisations:

1. use colour to distinguish groups of data from each other
2. use colour to represent data values
3. use colour to highlight

3 types of colour palettes ColorBrewer


1. Qualitative
2. Sequential
3. Diverging

15 / 43

Qualitative palettes for categorical data with no intrinsic ordering

```
colorspace::hcl_palettes("Qualitative", plot = TRUE, n = 7)
```

Qualitative



16 / 43

Sequential palettes for ordered data from high to low


```
colorspace::hcl_palettes("Sequential", plot = TRUE, n = 7)
```



17 / 43

Diverging palettes for mid-range values and extremes at both ends


```
colorspace::hcl_palettes("Diverging", plot = TRUE, n = 7)
```



18 / 43

Use colour palettes


```
time_use %>%
  ggplot(aes(country, time_minutes)) +
  geom_col(
    aes(fill = category),
    position = "dodge") +
  scale_fill_brewer(palette = "Dark2") +
  labs(y = "") +
  theme(legend.position = "bottom")
```



19 / 43


Set custom colours

```
time_use %>%
  ggplot(aes(country, time_minutes)) +
  geom_col(
    aes(fill = category),
    position = "dodge") +
  scale_fill_manual(
    values = c("#EF476F", "#FFD166",
              "#00D6A0", "#118AB2",
              "#873B4C", "grey")) +
  labs(y = "") +
  theme(legend.position = "bottom")
```



20 / 43

Colour-vision deficiency




- Red-green colour-vision deficiency (deuteranomaly & protanomaly) is the most common.
- Blue-green colour-vision deficiency (tritanomaly) is rare but does occur.

Approximately 8% of males and 0.5% of females suffer from some sort of color-vision deficiency.

reference: Claus O. Wilke *Fundamentals of Data Visualization*

Choose colours using {colorspace}

```
➤ colorspace::hclwizard()  
➤ colorspace::hcl_color_picker()
```



Scales


- Control how data is mapped to perceptual properties, and produce guides (axes and legends) which allow us to read the plot.
- Important arguments: `breaks`, `labels`, and `limits`.
- Naming scheme: `scale_[aes]_[datatype]()`

scale	Description
scale_alpha, scale_alpha_continuous, scale_alpha_binned, scale_alpha_discrete	Alpha transparency scales
scale_x_binned, scale_y_binned	Positional scales for binning continuous data (x & y)
scale_colour_brewer, scale_fill_brewer, scale_colour_distiller, scale_fill_distiller	Sequential, diverging and qualitative colour scales from colorbrewer.org
scale_colour_continuous, scale_fill_continuous, scale_colour_binned, scale_fill_binned	Continuous and binned colour scales
scale_colour_discrete, scale_fill_discrete	Discrete colour scales

Publication-ready visualisation 🧑🎨

25 / 43

Towards publication-ready visualisation



26 / 43

Exploratory data visualisation

- For **internal use** only. Need to be able to create rapidly because your first attempt will never be the most revealing.
- Iteration is crucial for developing multiple displays of your data.

Communication graphics

- When you **communicate** your findings, you need to spend much time polishing your graphics to eliminate distractions and focus on the storytelling.
- Iteration is crucial to ensure all the bits and pieces works well: labels, color choices, tick marks...

27 / 43

Case study: COVID-19

```
covid19 <- read_csv("data/covid19-daily-cases.csv")
covid19
```


```
#> # A tibble: 15,677 x 3
#>   country_region date      confirmed
#>   <chr>          <date>         <dbl>
#> 1 Afghanistan  2020-03-01         1
#> 2 Afghanistan  2020-03-02         1
#> 3 Afghanistan  2020-03-03         2
#> 4 Afghanistan  2020-03-04         4
#> 5 Afghanistan  2020-03-05         4
#> 6 Afghanistan  2020-03-06         4
#> # ... with 15,671 more rows
```

28 / 43

COVID-19 - scale-y

Data as is

Plot Code




29 / 43

COVID-19 - scale-y

Logarithmic scale

Plot Code




30 / 43

COVID-19 - scale-y

Logarithmic scale

Plot Code



Rob J Hyndman's blog post on [Why log ratios are useful for tracking COVID-19](#)

31 / 43

COVID-19 - scale-y - scale-x

```
covid19_rel <- covid19 %>%
  group_by(country_region) %>%
  mutate(days = as.numeric(date - min(date))) %>%
  ungroup()
covid19_rel
```

```
#> # A tibble: 15,677 x 4
#>   country_region date      confirmed days
#>   <chr>          <date>          <dbl> <dbl>
#> 1 Afghanistan  2020-03-01             1     0
#> 2 Afghanistan  2020-03-02             1     1
#> 3 Afghanistan  2020-03-03             2     2
#> 4 Afghanistan  2020-03-04             4     3
#> 5 Afghanistan  2020-03-05             4     4
#> 6 Afghanistan  2020-03-06             4     5
#> # ... with 15,671 more rows
```


32 / 43

COVID-19

- scale-y
- scale-x

Relative days

[Plot](#) [Code](#)




33 / 43

COVID-19

- scale-y
- scale-x
- highlight

Highlight New Zealand

[Plot](#) [Code](#)




34 / 43

COVID-19

- scale-y
- scale-x
- highlight
- annotate

Label New Zealand

[Plot](#) [Code](#)




35 / 43

COVID-19

- scale-y
- scale-x
- highlight
- annotate
- limits

Expand limits

[Plot](#) [Code](#)




36 / 43

COVID-19

- scale-y
- scale-x
- highlight
- annotate
- limits
- labels

Every figure needs the title

➤ Plot ➤ Code




37 / 43

COVID-19

- scale-y
- scale-x
- highlight
- annotate
- limits
- labels
- theme

Apply themes

➤ Plot ➤ Code




38 / 43

Interactive graphics

39 / 43

Easily turn ggplot2 into **plotly**

```
library(plotly)  
ggplotly(p_nz)
```




40 / 43

Generative art


41 / 43

A peek at generative art works by Thomas Lin Pedersen



42 / 43

Reading



- Graphics for communication
- BBC Visual and Data Journalism cookbook for R graphics

43 / 43